

---

**SECTION 1 - IDENTIFICATION**

---

**Product identifier****Product Name** Bar Keepers Friend Soft Cleanser**Other means of identification****Product Code** 1034823**Recommended use of the chemical and restrictions on use****Recommended Use** General Purpose Cleaner - Non-aerosols.**Restrictions On Use** Do Not Use On Cast Iron, Granite, Marble, Wood, Fabric, Leather, Painted Surfaces, Mirrors, Gold, Or Silver (Sterling Silver Is Ok).**Details of the supplier of the safety data sheet****Supplier Identification:** Servaas Laboratories**Address** 5240 Walt Place  
Indianapolis, In 46254  
United States**Telephone** Phone: 800-433-5818  
Fax: 317-264-2192**E-mail** sison@barkeepersfriend.com**Emergency Phone Number** (Chemtrec): 1-800-424-9300**Company Emergency  
Phone Number** 1-800-433-5818 (For Usa Callers)  
1-317-636-7760 (For Non-usa Callers)

---

**SECTION 2 - HAZARDS IDENTIFICATION**

---

<b>Classification</b>	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity (single exposur)	Category 3

**Appearance** White to off-white**Physical state** Cream Liquid**Odor** Citrus**GHS Label elements, including precautionary statements****Hazard statements:** **Danger**  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.

**Precautionary Statements****- Prevention**

Do not breathe dusts or mists.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use only outdoors or in a well-ventilated area.

**Precautionary Statements****- Response**

Immediately call a POISON CENTER or doctor.  
Specific treatment (see supplemental first aid instructions on this label).

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

**Precautionary Statements****- Storage**

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.

**Precautionary Statements****- Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Other information****Unknown Acute toxicity**

36.97 % of the mixture consists of ingredient(s) of unknown toxicity.  
32.91 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.  
35.27 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.  
36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).  
36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).  
36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**SECTION 3 - COMPOSITION / INFORMATION ON THE INGREDIENTS****Substance**

Not Applicable

**Mixture**

<b>Chemical Name</b>	<b>CAS No.</b>	<b>Weight-%</b>	<b>Hazardous Material Information Review Act registry number (HMIRA registry #)</b>	<b>Date HMIRA filed and date exemption granted (if applicable)</b>
Supplier Trade Secret	-	30–40%	-	-
Alcohols, C9-11, ethoxylated	68439-46-3	2.36	-	-
Oxalic acid	144-62-7	1.7	-	-
Supplier Trade Secret	-	0–10%	-	-

**SECTION 4 - FIRST AID MEASURES**

---

**Description of first aid measures**

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Burning sensation.
-----------------	--------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

---

**SECTION 5 - FIREFIGHTING MEASURES**

---

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

**Special protective equipment for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal precautions**

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information**

Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up****Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**SECTION 7 - HANDLING AND STORAGE****Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 10 mg/m <sup>3</sup> (inhal) 3 mg/m <sup>3</sup> (resp) PNOC	TWA: 5 mg/m <sup>3</sup> (resp) 15 mg/m <sup>3</sup> (total) PNOC	
Oxalic acid 144-62-7	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 2 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Supplier Trade Secret	TWA: 1 mg/m <sup>3</sup> respirable particulate matter		

Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Oxalic acid	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
144-62-7	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
Supplier Trade Secret		TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

### Appropriate engineering controls

**Engineering controls** Showers.  
Eyewash stations.  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

**Physical state** Cream; Liquid  
**Appearance** White to off-white  
**Odor** Citrus  
**Color** No information available  
**Odor Threshold** Not applicable

Property	Values	Remarks Method
pH	2	
Melting / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	
Flash Point	5001 °C / 9034 °F	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	

<b>Lower flammability limit</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	1.25	
<b>Water Solubility</b>	Mostly soluble	
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	0	
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

### Other Information

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk Density</b>	No information available
<b>Particle Size</b>	No information available
<b>Particle Size Distribution</b>	No information available

### **SECTION 10 - STABILITY AND REACTIVITY**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Exposure to air or moisture over prolonged periods.
<b>Incompatible materials</b>	Acids. Bases. Oxidizing agent.

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary
-------------------	---

edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

**Eye contact**

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact**

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

**Ingestion**

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Numerical measures of toxicity****Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 10,741.30 mg/kg

**ATEmix (dermal)** 41,884.10 mg/kg

**Unknown acute toxicity**

36.97 % of the mixture consists of ingredient(s) of unknown toxicity

32.91 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

35.27 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

36.97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alcohols, C9-11, ethoxylated	= 1400 mg/kg ( Rat ) = 1378	> 2 g/kg ( Rabbit )	-
Oxalic acid	= 375 mg/kg ( Rat )	= 20000 mg/kg ( Rat )	
Supplier Trade Secret	> 5000 mg/kg ( Rat )	-	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation**

Classification based on data available for ingredients. Causes burns.

**Serious eye damage/eye irritation**

Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.

**Respiratory or skin sensitization**

No information available.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

No information available.

**Reproductive toxicity**

No information available.

<b>STOT - single exposure</b>	May cause respiratory irritation.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

---

## SECTION 12 - ECOLOGICAL INFORMATION

---

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Maga (Water Flea)
Oxalic acid	-	24h LC50: = 4000 mg/L (Lepomis macrochirus)	-	48h EC50: 125 - 150 mg/L
Supplier Trade Secret	-	96h LC50: 8.0 - 19.0 g/L (Salmo gairdneri) 96h LC50: = 19000 mg/L (Oncorhynchus mykiss)	-	-

**Persistence and Degradability** No information available.

**Bioaccumulation**

**Component Information**

Chemical name	Log Pow
Oxalic acid	-0.81

**Mobility**

No information available.

**Other adverse effects**

No information available.

---

## SECTION 13 - DISPOSAL CONSIDERATIONS

---

**Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Do not reuse empty containers.

**US EPA Waste Number**

D002

**California Waste Codes**

791

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic soluble
Oxalic acid 144-62-7	Toxic



**SECTION 14 - TRANSPORT INFORMATION**

---

**DOT**

**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** ORM-D  
**Description** CONSUMER COMMODITY, ORM-D  
**Emergency Response Guide Number** 153

**TDG**

**UN-No.** UN3265  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**Hazard Class** 8  
**Packing Group** II  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**MEX**

**UN-No.** UN3265  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**Hazard Class** 8  
**Packing Group** II  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**ICAO**

**UN-No.** UN3265  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**Hazard Class** 8  
**Packing Group** II  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**IATA**

**UN-No.** UN3265  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**Hazard Class** 8  
**Packing Group** II  
**ERG Code** 8L  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**IMDG/IMO**

**UN-No.** UN3265  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**Hazard Class** 8  
**Packing Group** II  
**EmS-No** F-A, S-B  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**RID**

<b>UN-No.</b>	UN3265
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Classification Code</b>	C3
<b>Description</b>	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II
<b>ADR/RID-Labels</b>	8

**ADR**

<b>UN-No.</b>	UN3265
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Classification Code</b>	C3
<b>Tunnel Restriction Code</b>	(E)
<b>Description</b>	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II

**ADN**

<b>UN-No.</b>	UN3265
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Classification Code</b>	C3
<b>Special Provisions</b>	274
<b>Description</b>	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (FELDSPAR, OXALIC ACID), 8, II
<b>Hazard Labels</b>	8
<b>Limited Quantity</b>	1 L

**SECTION 15 - REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

- The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable
- The Stockholm Convention on Persistent Organic Pollutants** Not applicable
- The Rotterdam Convention** Not applicable

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status.
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status.
<b>ENCS</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Contact supplier for inventory compliance status.
<b>PICCS</b>	Contact supplier for inventory compliance status.
<b>AICS</b>	Contact supplier for inventory compliance status.

**Legend****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

<b>Chemical name</b>	<b>CAS No</b>	<b>Weight-%</b>	<b>SARA 313 - Threshold</b>
Supplier Trade Secret		30 - 40%	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**California SB-258 Compliance**

<b>CAS#</b>	<b>Ingredient Name</b>	<b>Function</b>	<b>California List/Website Active Link Reference</b>
7732-18-5	Water	Ingredient Coupler	No
65997-17-3	Glass Oxide	Abrasive	No
68439-46-3	Alcohol Ethoxylates	Surfactant	No
6153-56-6	Oxalic Acid	Rust Remover	No

1302-78-9	Smectite Clay	Thickening Agent	No
9003-04-7	Acrylic Polymer	Dispersant	No
77-92-9	Citric Acid	Descaler	No
11138-66-2	Xanthan Gum	Thickening Agent	No
9005-64-5	Polysorbate 20	Fragrance Ingredient	No
8008-57-9	Citrus Aurantium Dulcis Peel	Fragrance Ingredient	No
8008-56-8	Citrus Limon Peel	Fragrance Ingredient	No

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	X		X	X	
Oxalic acid 144-62-7	X	X	X		

### SECTION 16 - OTHER INFORMATION

**NFPA** Health Hazards: 3 Flammability: 0 Instability: 0 Physical and Chemical Properties - Personal Protection X

**HMIS** Health Hazards: 3 Flammability: 0 Physical Hazards: 0

**Prepared by** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 22-Nov-2017

**Revision Date** 26-Feb-2020

**Revision Note** No information available

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text